

Polyethylene (PE) SDR Pressure Rated Tube

(2306, 3206, 3306) SDR 7, 9, 11.5, 15 C=150

psi Loss per 100 Feet of Pipe (psi/100 ft.)

Sizes 1/2" through 6" Flow 1 through 600 gpm

Size I.D.	1/2" 0.622		3/4" 0.824		1" 1.049		1 1/4" 1.380		1 1/2" 1.610		2" 2.067		2 1/2" 2.469		3" 3.068		4" 4.026		6" 6.065		
Flow gpm	Velocity fps	psi Loss	Velocity fps	psi Loss	Velocity fps	psi Loss	Velocity fps	psi Loss	Velocity fps	psi Loss	Velocity fps	psi Loss	Velocity fps	psi Loss	Velocity fps	psi Loss	Velocity fps	psi Loss	Velocity fps	psi Loss	
1	1.06	0.43	0.60	0.11	0.37	0.03	0.21	0.01	0.16	0.00	0.10	0.00	0.07	0.00	0.04	0.00	0.03	0.00	0.01	0.00	
2	2.11	1.55	1.20	0.39	0.74	0.12	0.43	0.03	0.32	0.02	0.19	0.00	0.13	0.00	0.09	0.00	0.05	0.00	0.02	0.00	
3	3.17	3.28	1.80	0.83	1.11	0.26	0.64	0.07	0.47	0.03	0.29	0.01	0.20	0.00	0.13	0.00	0.08	0.00	0.03	0.00	
4	4.22	5.58	2.41	1.42	1.48	0.44	0.86	0.12	0.63	0.05	0.38	0.02	0.27	0.01	0.17	0.00	0.10	0.00	0.04	0.00	
5	5.28	8.43	3.01	2.15	1.86	0.66	1.07	0.17	0.79	0.08	0.48	0.02	0.34	0.01	0.22	0.00	0.13	0.00	0.06	0.00	
6	6.34	11.81	3.61	3.01	2.23	0.93	1.29	0.24	0.95	0.12	0.57	0.03	0.40	0.01	0.26	0.01	0.15	0.00	0.07	0.00	
7	7.39	15.71	4.21	4.00	2.60	1.24	1.50	0.33	1.10	0.15	0.67	0.05	0.47	0.02	0.30	0.01	0.18	0.00	0.08	0.00	
8	8.45	20.12	4.81	5.12	2.97	1.58	1.72	0.42	1.26	0.20	0.76	0.06	0.54	0.02	0.35	0.01	0.20	0.00	0.09	0.00	
9	9.50	25.01	5.41	6.37	3.34	1.97	1.93	0.52	1.42	0.24	0.86	0.07	0.60	0.03	0.39	0.01	0.23	0.00	0.10	0.00	
10	10.56	30.40	6.02	7.74	3.71	2.39	2.15	0.63	1.58	0.30	0.96	0.09	0.67	0.04	0.43	0.01	0.25	0.00	0.11	0.00	
11	11.61	36.26	6.62	9.23	4.08	2.85	2.36	0.75	1.73	0.35	1.05	0.11	0.74	0.04	0.48	0.02	0.28	0.00	0.12	0.00	
12	12.67	42.59	7.22	10.84	4.45	3.35	2.57	0.88	1.89	0.42	1.15	0.12	0.80	0.05	0.52	0.02	0.30	0.00	0.13	0.00	
14	14.78	56.64	8.42	14.42	5.20	4.45	3.00	1.17	2.21	0.55	1.34	0.16	0.94	0.07	0.61	0.02	0.35	0.01	0.16	0.00	
16	16.89	72.52	9.63	18.46	5.94	5.70	3.43	1.50	2.52	0.71	1.53	0.21	1.07	0.09	0.69	0.03	0.40	0.01	0.18	0.00	
18	19.01	90.17	10.83	22.95	6.68	7.09	3.86	1.87	2.84	0.88	1.72	0.26	1.21	0.11	0.78	0.04	0.45	0.01	0.20	0.00	
20			12.03	27.89	7.42	8.62	4.29	2.27	3.15	1.07	1.91	0.32	1.34	0.13	0.87	0.05	0.50	0.01	0.22	0.00	
22			13.24	33.27	8.17	10.28	4.72	2.71	3.47	1.28	2.10	0.38	1.47	0.16	0.95	0.06	0.55	0.01	0.24	0.00	
24			14.44	39.08	8.91	12.07	5.15	3.18	3.78	1.50	2.29	0.45	1.61	0.19	1.04	0.07	0.60	0.02	0.27	0.00	
26			15.64	45.32	9.65	14.00	5.58	3.69	4.10	1.74	2.49	0.52	1.74	0.22	1.13	0.08	0.66	0.02	0.29	0.00	
28			16.85	51.98	10.39	16.06	6.01	4.23	4.41	2.00	2.68	0.59	1.88	0.25	1.22	0.09	0.71	0.02	0.31	0.00	
30			18.05	59.05	11.14	18.24	6.44	4.80	4.73	2.27	2.87	0.67	2.01	0.28	1.30	0.10	0.76	0.03	0.33	0.00	
35					12.99	24.26	7.51	6.39	5.52	3.02	3.35	0.89	2.35	0.38	1.52	0.13	0.88	0.03	0.39	0.00	
40					14.85	31.06	8.58	8.18	6.30	3.86	3.82	1.15	2.68	0.48	1.74	0.17	1.01	0.04	0.44	0.01	
45					16.71	38.62	9.65	10.17	7.09	4.80	4.30	1.42	3.02	0.60	1.95	0.21	1.13	0.06	0.50	0.01	
50					18.56	46.94	10.73	12.36	7.88	5.84	4.78	1.73	3.35	0.73	2.17	0.25	1.26	0.07	0.56	0.01	
55					11.80	14.74	8.67	6.96	5.26	2.06	3.69	0.87	2.39	0.30	1.39	0.08	0.61	0.01			
60					12.87	17.32	9.46	8.18	5.74	2.43	4.02	1.02	2.60	0.36	1.51	0.09	0.67	0.01			
65					13.94	20.08	10.24	9.49	6.21	2.81	4.36	1.18	2.82	0.41	1.64	0.11	0.72	0.01			
70					15.02	23.03	11.03	10.88	6.69	3.23	4.69	1.36	3.04	0.47	1.76	0.13	0.78	0.02			
75					16.09	26.17	11.82	12.36	7.17	3.66	5.03	1.54	3.25	0.54	1.89	0.14	0.83	0.02			
80					17.16	29.49	12.61	13.93	7.65	4.13	5.36	1.74	3.47	0.60	2.02	0.16	0.89	0.02			
85					18.23	32.99	13.40	15.58	8.13	4.62	5.70	1.95	3.69	0.68	2.14	0.18	0.94	0.02			
90					19.31	36.67	14.18	17.32	8.61	5.14	6.03	2.16	3.91	0.75	2.27	0.20	1.00	0.03			
95					14.97	19.14	9.08	5.68	6.37	2.39	4.12	0.83	2.39	0.22	1.06	0.03					
100					15.76	21.05	9.56	6.24	6.70	2.63	4.34	0.91	2.52	0.24	1.11	0.03					
110					17.34	25.11	10.52	7.44	7.37	3.14	4.77	1.09	2.77	0.29	1.22	0.04					
120					18.91	29.49	11.47	8.74	8.04	3.68	5.21	1.28	3.02	0.34	1.33	0.05					
130					12.43	10.14	8.71	4.27	5.64	1.48	3.28	0.40	1.44	0.05							
140					13.39	11.63	9.38	4.90	6.08	1.70	3.53	0.45	1.55	0.06							
150					14.34	13.21	10.05	5.56	6.51	1.93	3.78	0.52	1.67	0.07							
160					15.30	14.89	10.72	6.27	6.94	2.18	4.03	0.58	1.78	0.08							
170					16.25	16.65	11.39	7.01	7.38	2.44	4.28	0.65	1.89	0.09							
180					17.21	18.51	12.06	7.80	7.81	2.71	4.54	0.72	2.00	0.10							
190					18.17	20.46	12.73	8.62	8.25	2.99	4.79	0.80	2.11	0.11							
200					19.12	22.50	13.40	9.48	8.68	3.29	5.04	0.88	2.22	0.12							
225					15.08	11.78	9.76	4.09	5.67	1.09	2.50	0.15									
250					16.75	14.32	10.85	4.98	6.30	1.33	2.78	0.18									
275					18.43	17.08	11.93	5.94	6.93	1.58	3.05	0.22									
300					13.02	6.97	7.56	1.86	3.33	0.25											
325					14.10	8.09	8.19	2.16	3.61	0.29											
350					15.19	9.27	8.82	2.47	3.89	0.34											
375					16.27	10.54	9.45	2.81	4.16	0.38											
400					17.36	11.87	10.08	3.16	4.44	0.43											
425					18.44	13.28	10.71	3.54	4.72	0.48											
450					19.53	14.76	11.34	3.93	5.00	0.54											
475					11.97	4.35	5.28	0.59													
500					12.60	4.78	5.55	0.65													
550					13.86	5.70	6.11	0.78													
600					15.12	6.70	6.66	0.91													

Note: Dark shaded area of chart indicates velocities over 5' per second. Use with caution
 Velocity of flow values are computed from the general equation $V = .408 \sqrt{\frac{Q}{C}}$
 Friction pressure loss values are computed from the equation: $[hf = 0.2083 \left(\frac{100}{C}\right)^{1.852} \frac{Q^{1.852}}{d^{4.866}}] \times 4.33$ for psi loss per 100' of pipe