

IQ ESP-LXME SATELLITE CONTROLLER WITH IQ NCC WiFi CARTRIDGE

1 10 1

( D **)**-

IN METAL PEDESTAL

(1) IRRIGATION CONTROLLER:

RAIN BIRD IQ ESP-LXME SATELLITE CONTROLLER WITH IQ NCC WIFI CARTRIDGE IN LXMM METAL CABINET AND LXMMPED METAL PEDESTAL. INSTALL CONTROLLER, CABINET AND PEDESTAL PER MANUFACTURER'S RECOMMENDATIONS.

(2) Wifi ANTENNA:

RAIN BIRD IQWFEXTANT WIFI EXTERNAL ANTENNA (FOR USE WITH LXMM METAL CABINET ONLY)

- (3) concrete pad: 6-inch minimum thickness
- (4) FINISH GRADE
- (5) POWER SUPPLY WIRE
- 6) 1—INCH SCH 40 PVC CONDUIT, FITTINGS AND SWEEP ELL FOR POWER SUPPLY
- (7) COMPACTED SUBGRADE
- (8) 3-INCH SCH 40 PVC CONDUIT, FITTINGS AND SWEEP ELL FOR STATION WIRES
- (9) WIRES TO REMOTE CONTROL VALVES

## NOTES:

- 1. IQ ESP-LXME CONTROLLER IS AVAILABLE IN 8- OR 12-STATION BASE MODELS. ADDITIONAL MODULES IN 4-, 8- AND 12-STATION VERSIONS MAY BE ADDED TO BRING THE CONTROLLER UP TO 48 STATIONS MAXIMUM.
- 2. FOR EASE OF INSTALLATION INTO A CONTROLLER WITH MORE THAN 24 STATIONS, INSTALL A JUNCTION BOX AT THE BASE OF CONTROLLER AND TRANSITION LARGER VALVE AND COMMON WIRES FROM FIELD TO 18 AWG MULTI CONDUCTOR WIRE TO BE USED IN CONTROLLER.
- 3. PROVIDE PROPER GROUNDING COMPONENTS TO ACHIEVE GROUND RESISTANCE OF 10 OHMS OR LESS.
- 4. OWNER IS RESPONSIBLE FOR PROVIDING WIRELESS INTERNET SERVICE CAPABLE OF INTERFACING WITH NCC WIFI CARTRIDGE. INSTALL CONTROLLER IN A LOCATION TO MAXIMIZE ANTENNA RECEPTION. CONDUCT A SURVEY OF THE SITE TO ASSURE A VIABLE AND CONSISTENT WIFI CONNECTION BEFORE INSTALLING CONTROLLER.