



CENTRAL CONTROL	2
CONTROLLERS & SMART VALVES	3
PUMPS & FILTRATION	7
DRIP IRRIGATION	9
SPRAY & ROTARY NOZZLES	13
SPRAY BODIES	15

LANDSCAPE IRRIGATION PRODUCTS  
**2022 WHAT'S NEW GUIDE**

The Intelligent Use of Water.™

## IQ™4 Central Control Software

Take control of your irrigation business and your reputation with remote access to irrigation systems from any web-enabled device.


The IQ4 Platform offers state-of-the-art monitoring, programming and control features in one easy-to-learn user interface so you can spot an issue from a mile away... or a thousand miles away. Stay ahead of the curve with built-in evapotranspiration (ET) intelligence, automatic weather-based adjustments, catastrophe avoidance and more. Reduce the time you spend in the field and let IQ start working for you.

**NEW**

- ▶ Manual Operation page dedicated to in-field operations
- ▶ Scheduled reports
- ▶ Controller diagnostics
- ▶ Enhanced Dryrun™

### Coming Early 2022

- ▶ Enhanced controller diagnostics
- ▶ Learned Flow
- ▶ Chat feature
- ▶ Master Valve sharing



**iQ4**

LEARN MORE >>



### Equipped with a modern user interface

- ▶ Accessible from any device connected to the internet
- ▶ Fully optimized for smartphones and tablets
- ▶ All features available on any device

### Starring streamlined navigation

- ▶ Quick and simple setup
- ▶ User-friendly, intuitive interface
- ▶ Time-saving, group editing capabilities

### Featuring tiered user access

- ▶ Easily customize tiered permission settings for field devices
- ▶ Assess the system without interruption to watering programs
- ▶ Gain remote access to ESP-LXD, ESP-LXME2, and LXIVM controllers with IQ cartridges



#### Quick Tip:

4G IQ Cartridges are available. Contact Rain Bird GSP (866) 477-9778 about our 3G to 4G Exchange Program.



*Ideal for commercial applications such as HOAs, schools, parks and other sites that require flow sensing, more than 22 stations, or comprehensive water management across one or more controllers.*

## ESP-LXIVM Two-Wire Controller with Smart Valve Technology

NEW


### Revolutionary 2-Wire design with Integrated Valve Module (IVM)

Rain Bird's newest 2-Wire Controller has advanced flow management tools and powerful new features such as the Integrated Valve Module with "smart solenoid" that stays in constant communication with the controller to provide efficient irrigation and advanced diagnostics.

*Designed for the largest and most demanding sites such as housing or condominium complexes, schools, sports fields, parks, public spaces, or large industrial and commercial sites.*



LEARN MORE >>



### Eliminate decoders

- ▶ 50% less wire splices saves time and money on installation, maintenance and repair
- ▶ Supports up to 60 stations standard or 240 stations with LX-IVM Pro

### Simple user interface

- ▶ Large, easy-to-read backlit display
- ▶ Additional buttons for increased functionality and ease of programming

### Precise diagnostics

- ▶ Two-way communication between the IVM field device and controller
- ▶ Connect up to four 2-Wire paths
- ▶ Discover problems and isolate shorted paths faster

## Smart Valves Preinstalled with IVM-SOL

NEW

### Best-in-Class Valves Now with IVM-SOL Preinstalled

Rain Bird's PGA and PEB/PESB Series valves are now available with the Integrated Valve Module "smart solenoid" (IVM-SOL) preinstalled. Pair any of our new IVM Smart Valves with the ESP-LXIVM Two-Wire controller to eliminate decoders, reduce system cost, and improve reliability today.

#### MODELS

- ▶ 100PEBIVM & 100PESBIVM: 1" Valve with IVM-SOL
- ▶ 150PEBIVM & 150PESBIVM: 1.5" Valve with IVM-SOL
- ▶ 200PEBIVM & 200PESBIVM: 2" Valve with IVM-SOL
- ▶ IVM100PGA: 1" Valve with IVM-SOL
- ▶ IVM150PGA: 1.5" Valve with IVM-SOL
- ▶ IVM200PGA: 2" Valve with IVM-SOL



PGA



PEB

### Advanced flow management

- ▶ FloWatch™ and FloManager™ optimize water usage, guard against high and low flow conditions and shorten total watering time

*"The innovative breakthrough is in the Integrated Valve Module, which relays valve status back to the controller and provides real-time monitoring of valves."*

— IA

## ESP-LXME2 Next Generation Traditionally Wired Controller

**NEW**

### Where tradition meets innovation.

The popular LXME Series commercial controllers have been upgraded, now offering up to 40 programs, a simplified user interface, additional connectivity options, and more. The LXME2 Controller provides flow sensing and management with modular station capacity from 12 to 48 stations.

**PRO**

### Ask about the LXME2 PRO!

Attach a flow sensor input and a second booster pump circuit or normally closed master valve. (Available factory or field installed.)



LEARN MORE >>



### Modular design

- ▶ Perfect for traditionally wired new installs or retrofit applications
- ▶ Easy upgrade from LXME to LXME2 by swapping the front panel\*
- ▶ 12-station base unit expandable to 48 stations with 12-station modules\*

#### MODULAR UPGRADES

- ▶ Station Capacity
- ▶ **PRO:** Flow sensing and additional 2nd Booster Pump Circuit programmable by station
- ▶ Metal Case & Pedestal
- ▶ NCC Network Control Communication Cartridges

### Intuitive operation

- ▶ Large backlit LCD display with easy-to-navigate user interface
- ▶ 6 user-selectable languages
- ▶ Add or remove modules without powering down
- ▶ Copy/paste runtimes and Cycle + Soak programming from one station to many

### Powerful water management

- ▶ FloWatch™ protection for high and low flow conditions
- ▶ FloManager™ manages hydraulic demand
- ▶ SimulStations™ allow up to 5 stations to operate at once
- ▶ Water Windows by program plus Manual MV Water Window
- ▶ Cycle+Soak™ by station
- ▶ Intelligent calendar and weather-based delays

\*Only 12 station modules are compatible with the LXME2

## ESP-9V Battery-Operated Controller NEW

Get reliable, automatic irrigation control, even when you don't have AC power—now with a 5-year warranty included!

The ESP-9V operates reliably for more than two years using two 9V batteries. The ESP-9V was built to be installed virtually anywhere. With a waterproof case and dual-sealed battery compartment, life in a wet, dirty valve box is no problem. Get the convenience and efficiency of automatic irrigation control with the ESP-9V. Easy to use, easy to install, easy to own.

### MODELS

- ▶ ESP9V1: 1-Zone ESP-9V Controller
- ▶ ESP9V2: 2-Zone ESP-9V Controller
- ▶ ESP9V6: 6-Zone ESP-9V Controller
- ▶ ESP9V1SOL: 1-Zone + 9V Solenoid

MORE THAN **25%** LOWER LIST PRICE than Competing Controllers



LEARN MORE »



### Reliable & long-lasting design

- ▶ Plastic, weatherproof controller case with outstanding resistance to weather, yellowing and aging
- ▶ Operates for approximately one full year using one 9-volt alkaline battery, or two years with two 9-volt alkaline batteries
- ▶ 5-year warranty included
- ▶ Sensor input with bypass override
- ▶ Mast valve/pump-start circuit (multi-zone units only)
- ▶ Non-volatile (100-year) program memory
- ▶ IP68 certified for protection against dust and water intrusion

### Straightforward & user-friendly

- ▶ Large LCD display with simple-to-navigate user interface
- ▶ Dedicated manual watering button for easy operation
- ▶ Automatic zone-stacking ensures that only one valve irrigates at the same time
- ▶ Contractor Rapid Programming™ feature
- ▶ Run times, start times, and watering days are customizable by zone
- ▶ 6 start times per zone, 4 watering day options per zone
- ▶ Delay watering (1 to 9 days)

## LNK2 WiFi Module NEW

LNK2 upgrades the ESP-ME3, ESP-Me, ESP-TM2 and ESP-RZXe controllers with WiFi capabilities, allowing for system management from any place, at any time, with the mobile app.

Just plug in the module to your controller, pair it with the free Rain Bird Mobile App and get real-time alerts.

### MODEL

- ▶ LNK2 WIFI

Now with a strengthened network connection and Bluetooth® Fast Pair

NEW



LEARN MORE >>



### Experience the difference with instant connectivity

- ▶ Unlocks WiFi capabilities in our most popular controllers, making them fully accessible and programmable from iOS or Android compatible devices
- ▶ Smart Home Compatible (NA, EU and Australia)

### Access our free professional app and manage multiple sites

- ▶ Use your phone like a wireless remote or operate the controller at the controller—you choose
- ▶ Water a single zone, all zones, or set a custom schedule
- ▶ Simple, multi-site management
- ▶ No tools required



### Achieve peace of mind

- ▶ Receive push notifications for irrigation and weather-based events.
- ▶ Tailor alerts so you only get the information that matters
- ▶ Enable remote diagnostics; set up service calls, access troubleshooting, receive freezing conditions warnings, and much more

### Exercise powerful intelligence

- ▶ Save up to 50% in water with weather-based adjustments to run times
- ▶ Utilize superior programming capabilities designed to meet the most stringent water restrictions
- ▶ Encrypted wireless communication protects user privacy

## G-Series HN Filter NEW

Reduce time consuming filter maintenance and improve irrigation system performance with a compact and economical automatic backwash filter.

The automatic screen-type G-Series HN water filter keeps irrigation systems free of the contaminants that degrade performance and efficiency. It's easy to install, does not require special skills or tools to operate, and is ideal for filtering out silt, scale, sand, rust and dirt from a variety of irrigation water sources.

### MODELS

- ▶ HN-G-02-1 : 2" Automatic Filter with AC/DC Controller
- ▶ HN-G-02-2 : 2" Automatic Filter with IVM and 24VAC Solenoid (No Controller)

*200 & 400 micron versions available*



LEARN MORE »



### Easy-to-operate

- ▶ Fully automatic
- ▶ Self-cleaning
- ▶ No tools needed

### Customizable to your needs

- ▶ Available with automatic backwash controller powered by 110VAC or batteries
- ▶ Available without backwash controller when controlled by an IQ programmed Rain Bird LX controller

### Powerful yet efficient

- ▶ Handles flows of 35-100 GPM
- ▶ Accommodates pressure up to 100 PSI
- ▶ 7-second backwash flush cycle uses 5 gallons of water



## Self Priming Lawn Sprinkler Irrigation Pump **NEW**

Keep lawns lush and gardens growing while conserving resources.

Built for continuous operation of lawn sprinkling and water feature applications, Rain Bird's self-priming centrifugal booster pumps are perfect in applications where up to 66 gpm are needed. Our pumps are 100% balanced at the factory for industry-leading quiet operation, and every pump is factory tested to ensure optimal performance of plumbing and electrical systems.

### MODELS

- ▶ BPUMP1HP: 1HP Booster Pump
- ▶ BPUMP1-5HP: 1.5HP Booster Pump



LEARN MORE »



### Rapid install and fewer points of failure reduces callbacks and time on the Job

- ▶ Quick, self-priming operation for lawn irrigation
- ▶ Standard 2" inlet reduces the need for additional pipe adapters and decreases potential points of failure
- ▶ Equipped with a 115/230 dual voltage motor for maximum flexibility

### Constructed with ease of maintenance in mind

- ▶ 4 bolts remove the motor for easy maintenance without disconnecting piping
- ▶ Easy-access drain plug

### Built tough in the USA with nearly all American-made content

- ▶ Heavy-duty cast-iron construction
- ▶ Capacitor-assisted start up and 2 oversized self-lubricating ball bearings for quiet, continuous operation
- ▶ Chemical and abrasion resistant fiberglass reinforced thermoplastic impeller
- ▶ Cool running motor engineered for continuous operation in ambient temperatures up to 145 F (65C)





## XFS-CV Dripline

Made tough with Copper Shield™ Technology and a heavy-duty check valve, the XFS-CV dripline gives you unmatched protection.

With a built-in check valve and a pure copper chip in every emitter to protect against root intrusion, XFS-CV is the most effective dripline in the industry, ideal for any application—on-surface, sub-surface, sloped or level-grade. Patented 4.3 psi check valve technology keeps the dripline charged with water at all times, increasing uniformity, and conserving water by eliminating the need to recharge the line at the beginning of each cycle.



Now available in 0.4 GPH **NEW**

### MODELS

- ▶ Available in 0.4, 0.6 and 0.9 GPH
- ▶ 100', 250', 500' & 1000' lengths
- ▶ 12" & 18" spacing
- ▶ Option: Non-potable purple & purple stripe

LEARN MORE »



### Pure copper protection

- ▶ A pure copper chip protects every emitter from root intrusion
- ▶ The best choice for subsurface applications
- ▶ Dual-layered tubing provides unmatched resistance to chemicals, algae and UV damage

### Designed for durability


- ▶ Backed by 10 years of research
- ▶ Warrantied 16 years against emitter root intrusion
- ▶ Resists clogging by use of an extra wide flow path combined with a self-flushing action

### Highest holdback in the industry

- ▶ Complete with heavy-duty, patented check valve in every emitter
- ▶ Keeps the dripline charged, holding back 10' of elevation change
- ▶ Eliminates lowpoint drainage and provides uniform irrigation throughout the zone

### Highly versatile

- ▶ Available in a variety of standard emitter flow rates, emitter spacing and coil lengths
- ▶ Most flexible dripline tubing in the industry, making it easy to design with and install
- ▶ Accepts Rain Bird Easy Fit Compression Fittings, XF Dripline Barbed Insert Fittings and other 17 mm barbed insert fittings.



## Xeri-Bug™ Emitters with Check Valve NEW

Xeri Bug™ with Check Valve (XBCV) is a pressure-compensating emitter that's the ideal choice for irrigation applications that want to conserve water.

XBCV prevents drainage by holding back 10 feet (3 m) of water—the highest in the industry. It's a smart solution for slopes, elevated zones, hanging baskets and more.



LEARN MORE »



### MODELS



**XBCV-05PC**  
0.5 gph (1.9 lph)

**XBCV-10PC**  
1.0 gph (3.8 lph)

**XBCV-20PC**  
2.0 gph (7.6 lph)

Self-Piercing Inlet x Barb Outlet



**XBCV-05PC-1032**  
0.5 gph (1.9 lph)

**XBCV-10PC-1032**  
1.0 gph (3.8 lph)

**XBCV-20PC-1032**  
2.0 gph (7.6 lph)

10-32 Threaded Inlet x Barb Outlet

### Convenience & versatility

- ▶ Most compact and unobtrusive emitters on the market, great for any terrain
- ▶ Widest selection of pressure-compensating emitters, with 3 flow rates and 2 inlet options
- ▶ Flow-rates of 0.5, 1.0 and 2.0 gph (1.89, 3.79 and 7.57 l/h)
- ▶ Pressure-compensating design delivers uniform flow throughout a wide pressure range (15 to 50 psi; 1.0 to 3.5 bar)

### Easy installation & maintenance

- ▶ Self-piercing inlet barbs, making them the easy to install using the Xeriman™ tool
- ▶ Self-flushing action minimizes clogging
- ▶ Robust design made from highly inert materials that are resistant to chemicals
- ▶ Durable plastic construction is UV-resistant
- ▶ Color-coded to identify flow rate



## 1" Wide Flow Control Zone Kit **NEW** with IVM

A commercial grade wide flow zone with flow measurement and an easy connection to IVM Controllers.

Engineered to conquer every application from the purest water source to the harshest environment and everywhere in between, this Control Zone Kit comes complete with IVM SOL preinstalled and all the components necessary for on/off control, filtration, flow measurement, and pressure regulation—in one single package.



### MODEL

- ▶ XCZ100IVM

LEARN MORE »



### Preinstalled IVM SOL


- ▶ Includes the PESB Valve with Integrated Valve Module (IVM)
- ▶ Provides patented scrubbing action
- ▶ Easy connection to IVM controllers

### Flow-Indicating Basket Filter

- ▶ Provides flow measurement, filtration (stainless steel, 150 mesh) and 40 psi integrated pressure regulation—all in one—to protect your irrigation system

### Easy shut off

- ▶ Ball valve for easy maintenance shut off, without having to shut down from the main source
- ▶ Convenient for systems with multiple zones



## Flow-Indicating Basket Filter **NEW**

**Flow measurement, filtration and pressure regulation—all in one.**

The Flow-Indicating Basket Filter is the most complete solution to monitor drip system performance—it's the only product that provides all-in-one flow measurement, filtration and integrated 40 psi pressure regulation in one compact solution. The Flow-Indicating Basket Filter allows for easy monitoring of changes in the irrigation system with a quick glance at the dial, giving you additional control and peace of mind.

### MODELS

- ▶ FLOW-100: 1" Flow-Indicating Basket Filter
- ▶ FLOW-100-PRB: 1" Flow-Indicating Basket Filter with Pressure Regulation
- ▶ IFLOW-100-PRB: 1" Flow-Indicating Basket Filter with Pressure Regulation and BSP Threads
- ▶ XCZ-100-FLOW: 1" Commercial Control Zone Kit with Flow Indication
- ▶ XCZ-100-IVM: 1" Wide Flow Control Zone Kit with IVM
- ▶ FLOW-RETRO: Flow-Indicating Basket Filter Retrofit Kit

2021  
NEW PRODUCT  
CONTEST  
**WINNER**  
Irrigation Association



LEARN MORE »



### All-in-one zone protection

- ▶ Featuring flow measurement, filtration (100 micron) and 40 psi (2.8 bar) pressure regulation
- ▶ Cost-effective, 100% mechanical flow measurement feature
- ▶ Designed for use in both residential and commercial irrigation systems

### Knowledge gives you control

- ▶ Audit the proper flow during installation and over time with just a quick glance at the dial
- ▶ Avoid call backs by addressing valve malfunctions, leaks or clogging early

### Easy maintenance & installation

- ▶ Retro-fit model adds flow indication to any Rain Bird Basket Filter model
- ▶ Dial at the top of the filter cap indicates the accurate available flow rate for each zone
- ▶ Unique upright basket filter design provides easy access for maintenance
- ▶ Prevents debris from falling into the downstream line during routine maintenance



## SQ Series Nozzle with 3/4 Square Pattern NEW

**Precise and efficient, low-volume spray nozzle for irrigation around the perimeter of trees or shrubs.**


SQ Series Nozzle with 3/4 Square Pattern is pressure compensated, ensuring a precise and efficient, low volume spray for surface watering the perimeter of trees and shrubs, while avoiding the trunk. With the unique edge-to-edge pattern, coverage is achieved with only two nozzles, making them a cost effective solution.

### MODELS

- ▶ SQ-3QTR: SQ Nozzle, three-quarter pattern
- ▶ SQ-QTR: SQ Nozzle, quarter pattern
- ▶ SQ-HLF: SQ Nozzle, half pattern
- ▶ SQ-FUL: SQ Nozzle, full pattern
- ▶ SQ-ADP12: SQ Nozzle Adapter with 12" PolyFlex Riser
- ▶ SQ-ADP: SQ PolyFlex Riser Adapter only



LEARN MORE »



### Unique pattern for trees

- ▶ Designed to irrigate precisely around the perimeter of trees and shrubs
- ▶ Great for corners in narrow planting beds, parking lot islands, walkways, parkways, and street medians

### Impressive versatility

- ▶ Application flexibility simplifies design and installation
- ▶ Can be installed on a variety of spray heads and risers
- ▶ One nozzle throws 2.5' or 4' (0.8m or 1.2 m)



### Unbeatable savings

- ▶ Fewer nozzles needed due to unique square pattern with edge-to-edge capability
- ▶ Decreases cost and installation time
- ▶ Reduces overspray, property damage, and liability
- ▶ Meets micro irrigation system requirement with less than 26 gph flow rate at 30 psi


## R-VAN Rotary Nozzles

High-efficiency rotary nozzles give your business a bottom-line boost.

The R-VAN line is the next generation in nozzle design, engineered to deliver the most efficient coverage while making installation and maintenance quick and easy. Rotary nozzles have evolved—it's time to advance with R-VAN.



LEARN MORE »



**No Tools Necessary!**  
Adjust & Flush by Hand



### Matched Precipitation Rate

Fewer valves, less zones—one simple solution



### Larger Streams

Cut through wind to keep water in target zone



### Maximum Convenience

Adjust spray pattern, distance, angle, and flush by hand, no tools required



### Distribution Uniformity

Uniform coverage with no dry or soggy areas



### Highly Efficient

Shorter zone run times save water and energy



### Do More With Less

Fewer nozzles means lower inventory costs

### Convenient, user-friendly design

- ▶ Adjust the rotating spray pattern by hand, no tools required
- ▶ Manually flush debris by simply pulling up on the nozzle
- ▶ Leverage the nozzles' matched precipitation rates to simplify design and zoning

### Improves watering efficiency up to 30%

- ▶ Gentle, rotating streams create uniform coverage at lower precipitation rates
- ▶ Multi-stream technology optimizes absorption for healthier lawns
- ▶ Larger droplets and thicker streams cut through wind and keep water in target zone

### Valuable bottom-line savings

- ▶ Shorter zone run times save water and energy
- ▶ Lower precipitation rates reduce wasteful runoff and costly erosion
- ▶ Fewer nozzles needed to cover any area reduces installation time and costs



## 1802PRS and 1803PRS **NEW**

### Pressure regulation to 30 psi is now available in all 1800 Series pop-up heights (from shrub to 12")

Pressure regulation reduces water pressure and flow to create large water droplets that are less likely to be carried away in the wind. PRS also maintains consistent pressure at each spray head in sites with low and fluctuating pressure. With PRS you can save up to a gallon of water a minute, per spray head!

#### MODELS

- ▶ 1802-PRS: 2" (5 cm) pop-up height
- ▶ 1803-PRS: 3" (8 cm) pop-up height



*The Perfect Pair for spray nozzles at 30 psi! All spray sprinkler bodies with PRS are EPA WaterSense certified and meet state-specific PRS requirements.*



LEARN MORE »



#### Saves time, money, and resources

- ▶ Patented PRS pressure regulator built into the stem—no parts to be installed onsite!
- ▶ Maintains constant outlet pressure, ensuring consistent nozzle performance at 30psi (2.1 bar)
- ▶ Large droplets cut through wind and keep water in target zone
- ▶ Eliminates wasted water from misting and fogging
- ▶ EPA WaterSense certified

#### Made with reliable, heavy-duty materials

- ▶ Co-molded wiper seal provides unmatched resistance to grit, pressure and the environment
- ▶ Constructed of time-proven UV-resistant plastic and corrosion-resistant stainless steel parts, ensuring long product life
- ▶ Precision controlled flush at pop-down clears debris from unit, assuring positive stem retraction in all soil types
- ▶ Two-piece ratchet mechanism allows easy nozzle pattern alignment and provides added durability
- ▶ Five-Year Trade Warranty

# SMARTER. FASTER. HANDIER.

Get the Rain Bird Resources App for Quick Access to Critical Information.

- The Knowledge You Need in Seconds
- Save and Share Commonly Used Tools
- Free with No Login Required

 Saving Water Since 1933

 Saving Forests

 Saving You Time

## NEW Now Featuring:

- **Live Chat:** Message a Rain Bird representative with the click of a button
- **Rewards:** Easy access to your rewards account
- **Tablet Compatibility:** Improved, tablet-friendly design
- **Push Notifications:** Get notified of latest news and promos
- **Quote Tool:** Generate a wishlist and submit to your Rain Bird reseller for a quote



« Scan to download the app today.



### FOLLOW US ON SOCIAL MEDIA

so you're always up to speed on new product innovations and important updates.



**Rain Bird Corporation**  
6991 E. Southpoint Road  
Tucson, AZ 85756  
Phone: (520) 741-6100  
Fax: (520) 741-6522

**Rain Bird Corporation**  
970 West Sierra Madre Avenue  
Azusa, CA 91702  
Phone: (626) 812-3400  
Fax: (626) 812-3411

**Rain Bird International, Inc**  
1000 West Sierra Madre  
Azusa, CA 91702  
Phone: (626) 963-9311  
Fax: (626) 852-7343